



CITISTAT FIRE DEPARTMENT

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

Acting Department Head: CARL E. MCDONALD

Date Appoint:

Assistant Chief (Administration): Michael E. Dalton

Acting Assistant Chief (Operations): Donald W. Heinbuch

Acting Assistant Chief (Planning and Technical Service): Michael S. Kernan



PERSONNEL	FY2001	FY2002	FY2002	% Change	ANNUAL BUDGET	FY2002	EXPEND- TO-DATE*	%
	BUDGET	BUDGET	FILLED					
Administration	30	31	26		Administration	\$1,861,177	\$651,012	35.0%
Training	13	14	14		Training	\$1,109,630	\$429,853	38.7%
Operations	1,416	1,418	1,365		Fire Suppression	\$81,699,136	\$33,460,684	41.0%
Fire Marshal	37	37	34		Fire Marshal	\$2,574,566	\$928,762	36.1%
Support Services	6	6	2		Support Services	\$5,484,622	\$1,313,657	24.0%
Fire Alarm & Comm.	56	51	44		Fire Alarm & Comm.	\$3,881,670	\$1,904,384	49.1%
EMS General Fund	172	173	155		Ambulance Services - GF	\$8,292,248	\$3,579,869	43.2%
EMS Special Fund	24	24	23		Ambulance Services - SF	\$5,646,968	\$892,361	15.8%
					N/actuarial Retire. Ben.	\$283,000	\$66,099	23.4%

*Expenditures - October 2001

PERSONNEL DATA

	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	10/10-10/23	10/24-11/06	11/07-11/20	11/21-12/04		Average	Minimum	Maximum	Total	Periods
OVERTIME (HOURS)	6,697	6,793	6,750	7,085	5.0%	6624.9	2941.5	11215.7	205373.0	31
Administration	145	117	144	136	-5.2%	164.9	111.0	300.5	5112.7	31
Training	102	61	50	70	39.0%	153.4	0.0	444.0	4754.0	31
Fire Suppression	5,562	6,157	6,067	6,243	2.9%	5706.5	2141.5	10219.2	176901.8	31
Fire Marshal	262	102	66	63	-4.9%	137.3	47.0	300.0	4255.5	31
Support Services	17	1	19	44	131.6%	33.3	0.0	121.0	1031.0	31
Fire Alarm & Comm.	609	355	405	530	31.0%	429.6	266.0	678.0	13317.5	31
UNSCHED. LEAVE (DAYS)	1	5	0	4		4.7	0.0	20.0	146.2	31
Administration	1	0	0	0	0.0%	1.5	0.0	8.0	46.2	31
Training	0	0	0	4		3.0	0.0	20.0	94.0	31
Fire Suppression	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	31
Fire Marshal	0	5	0	0	0.0%	0.2	0.0	5.0	6.0	31
Support Services	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	31
Fire Alarm & Comm.	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	31
EMS Staff	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	31
"A" TIME (DAYS)	275	303	290	314	8.3%	281.3	219.0	339.5	8720.5	31
Administration	0	0	0	0	0.0%	0.2	0.0	2.0	6.5	31
Training	0	0	0	0	0.0%	0.5	0.0	10.0	16.0	31
Fire Suppression	265	286	273	299	9.5%	277.1	208.0	338.0	8589.5	31
Fire Marshal	10	17	17	15	-11.8%	3.5	0.0	17.0	108.5	31
Support Services	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	31
Fire Alarm & Comm.	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	31
EMS Staff	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	31
LIGHT DUTY (DAYS)	103	145	123	81	-34.1%	143.4	81.0	277.0	4446.0	31
Administration	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	31
Training	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	31
Fire Suppression	103	145	123	81	-34.1%	142.0	81.0	277.0	4403.0	31
Fire Marshal	0	0	0	0	0.0%	0.6	0.0	7.0	18.0	31
Support Services	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	31
Fire Alarm & Comm.	0	0	0	0	0.0%	0.1	0.0	4.0	4.0	31
EMS Staff	0	0	0	0	0.0%	0.7	0.0	10.0	21.0	31
SICK (DAYS)	500	472	463	483	4.4%	418.0	355.0	499.5	5434.0	13
Administration	11	9	11	7	-33.3%	4.7	0.5	10.5	61.5	13
Training	0	0	2	4	100.0%	2.1	0.0	10.0	27.0	13
Fire Suppression	453	422	415	439	5.8%	391.0	343.0	453.0	5083.0	13
Fire Marshal	22	16	14	14	0.0%	8.1	0.0	22.0	105.0	13
Support Services	0	6	0	0	0.0%	0.5	0.0	6.0	6.0	13
Fire Alarm & Comm.	14	16	19	19	0.0%	10.9	0.0	24.0	141.5	13
EMS Staff	0	3	2	0	-100.0%	1.7	0.0	9.0	22.0	13



CITISTAT
Employee Absentee Worksheet

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

	EMPLOYEES	REQUIRED WORK- DAYS	PRE-APP SICK	NON- SCHED SICK	SICK BANK	SICK X	X-TIME (UNAP- PROVED)	"A" TIME	PERMISS	VAC.	PERSONAL LEAVE	USED COMP TIME	FAMILY LEAVE	X- PERMISS	TOTAL
Administration	40	400	7.0	0.0	0.0	0.0	0.0	0.0	0.0	22.0	3.0	18.5	0.0	0.0	50.5
Training	14	120	0.0	4.0	0.0	0.0	0.0	0.0	0.0	8.0	1.0	2.0	0.0	0.0	15.0
Operations	1,418	7,975	0.0	439.0	0.0	0.0	0.0	299.0	122.0	1,576.0	0.0	11.1	51.0	57.0	2,555.1
Fire Marshal	39	305	5.0	14.0	0.0	0.0	0.0	15.0	1.0	36.0	1.0	2.1	0.0	0.0	74.1
Support Services	3	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	0.0	1.0	0.0	0.0	7.0
Fire Alarm & Comm.	49	408	0.0	19.0	0.0	0.0	0.0	0.0	0.0	48.0	4.5	0.0	0.0	0.0	71.5
EMS Staff	18	148	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.5	0.0	1.7	0.0	0.0	17.2
TOTALS	1,578	9,386	12.0	476.0	0.0	0.0	0.0	314.0	123.0	1,711.5	9.5	36.4	51.0	57.0	2,790.4

REPORTING PERIOD: NOVEMBER 07, 2001 THROUGH NOVEMBER 20, 2001

	EMPLOYEES	REQUIRED WORK- DAYS	PRE-APP SICK	NON- SCHED SICK	SICK BANK	SICK X	X-TIME (UNAP- PROVED)	"A" TIME	PERMISS	VAC.	PERSONAL LEAVE	USED COMP TIME	FAMILY LEAVE	X- PERMISS	TOTAL
Administration	40	400	10.5	0.0	0.0	0.0	0.0	0.0	0.0	22.5	1.5	6.6	0.0	0.0	41.1
Training	14	120	2.0	0.0	0.0	0.0	0.0	0.0	2.0	7.5	0.0	1.5	0.0	0.0	13.0
Operations	1,418	7,975	0.0	415.0	0.0	0.0	0.0	273.0	146.0	1,551.0	1.0	2.3	38.0	55.0	2,481.3
Fire Marshal	37	312	14.0	0.0	0.0	0.0	0.0	17.0	7.0	31.0	1.5	10.6	0.0	0.0	81.1
Support Services	3	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	2.0	0.0	0.0	7.0
Fire Alarm & Comm.	49	408	0.0	19.0	0.0	0.0	0.0	0.0	1.0	35.0	0.0	0.0	0.0	0.0	55.0
EMS Staff	18	148	0.0	2.0	0.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	0.0	0.0	27.0
TOTALS	1,578	9,393	26.5	436.0	0.0	0.0	0.0	290.0	156.0	1,677.0	4.0	23.0	38.0	55.0	2,705.5

PERSONNEL DEPARTMENTS

Support Services - Support Services includes the Fire Apparatus Coordinator, the Assistant Fire Apparatus Coordinator and the Acting Fire Supply Coordinator. The total of employees for Support Services is three (3).

Operations - includes the fire suppression forces, paramedics, and operations staff personnel.
Note that paramedics work a shift schedule and are carried on payrolls of suppression units such as engine companies or truck.

EMS Staff - includes personnel in the Medical Bureau office and EMS Supervisors who work a shift schedule. These personnel are carried on the "Medical Bureau" payroll.



CITISTAT
Daily Callback Report

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

	WEDNESDAY 11/21/2001	THURSDAY 11/22/2001	FRIDAY 11/23/2001	SATURDAY 11/24/2001	SUNDAY 11/25/2001	MONDAY 11/26/2001	TUESDAY 11/27/2001	TOTALS
Day	9	20	12	13	22	17	13	106
Night	16	22	20	26	18	21	19	142
TOTALS	25	42	32	39	40	38	32	248

	WEDNESDAY 11/28/2001	THURSDAY 11/29/2001	FRIDAY 11/30/2001	SATURDAY 12/1/2001	SUNDAY 12/2/2001	MONDAY 12/3/2001	TUESDAY 12/4/2001	TOTALS
Day	17	20	20	15	21	15	20	128
Night	21	21	25	30	30	20	26	173
TOTALS	38	41	45	45	51	35	46	301
							Total - Day	234
							Total -Night	315
							GT	549



CITISTAT

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

SUMMARY INDICATORS

	FY2000 YEAR-END	FY2001 YEAR-END	FY2002			
			FY2002 (July - Sept.)	FY2002 (Oct. - Dec.)	FY2002 (Jan. - March)	FY2002 (April - June)
FIRE SUPPRESSION						
911 Fire Suppression Service Calls	76934	74162	19120			
Residential Structure Fires	1942	2191	523			
Private Dwellings	1465	1601	388			
Apartments	446	556	129			
Others	31	34	6			
Non-Residential Structure Fires	737	693	162	0	0	0
Public Assembly	97	53	13			
Schools & Colleges	77	59	5			
Health Care & Penal Institutions	25	51	7			
Stores & Offices	100	89	18			
Vacant Structure	158	255	67			
Others	280	186	52			
Total Structure Fires	2679	2884	685	0	0	0
Non-Structure Fires	3146	3712	1024	0	0	0
Vehicles	966	1032	290			
Area Outside of Structures	139	179	42			
Brush, Grass, Wildland	607	864	200			
Trash, Rubbish, Dumpsters	1402	1596	483			
Others	32	41	9			
HAZMAT Incidents	64	88	19			
Mutual Aid Incidences	591	399	107	0	0	0
Provided	137	112	24			
Received	454	287	83			
False (Malicious) Alarms	4532	4879	1248	0	0	0
Suppression	1330	1514	380			
EMS	3202	3365	868			
Private Alarms	6241	8130	1480	0	0	0
EMS	598	586	132			
Suppression-Residential	2071	4034	440			
Suppression-Commercial	3572	3510	908			
Average Response Times						
1st Arriving Unit	0:04:02	0:03:53	0:03:51			
First Alarm	N/A	N/A	N/A			



CITISTAT

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

SUMMARY INDICATORS

	FY2002					
	FY2000 YEAR-END	FY2001 YEAR-END	FY2002 (July - Sept.)	FY2002 (Oct. - Dec.)	FY2002 (Jan. - March)	FY2002 (April - June)
FIRE DEATHS						
Civilian Deaths	23	22	5	0	0	0
0 - 18	8	6	1			
19 - 35	6	2	0			
36 - 59	8	10	2			
60 +	1	4	2			
Firefighter Deaths	0	0	0			
Arson-Related Fire Deaths	0	1	1			
Residential Structure Fire Deaths	21	21	4			
Non-Residential Structure Fire Deaths	1	1	0			
Other Fire Deaths	1	0	1			
Fire Deaths Occurring in Structures with Working Smoke Detector	5	4	2			
Fire Deaths Occurring in Structure without a Working Smoke Detector	18	18	2			

	FY2002					
	FY2000 YEAR-END	FY2001 YEAR-END	FY2002 (July - Sept.)	FY2002 (Oct. - Dec.)	FY2002 (Jan. - March)	FY2002 (April - June)
EMERGENCY MEDICAL SERVICES						
911 EMS Service Calls	115,799	116,327	30,484			
Runs	115,799	116,327	30,484			
Runs that Resulted in EMS Transport	78,402	81,029	20,809			
Advanced Life Support (ALS)	110,795	115,190	30,157			
Basic Life Support (BLS) Red Alert	5,004	1,137	327			
% Runs that Resulted in EMS Transport	67.71%	69.69%	68.27%			
Suppression Ambulance Assist Runs	48,611	47,094	12,315			
Response Times						
EMS Units	0:07:34	0:07:30	0:07:26			
Suppression Ambulance Assists	0:03:58	0:03:57	0:03:57			
Runs that Resulted in an EMS Billing	72,855	74,083	19,580			
% Runs that Resulted in an EMS Billing	62.92%	63.69%	64.23%			
EMS Billings (\$)	\$18,202,350	\$18,518,150	\$4,894,900			
EMS Revenue Collected	\$4,578,721	\$6,693,023	\$1,562,218			
Medicare Revenue Collected	\$2,724,027	\$4,101,095	\$1,019,138			
Medicaid Revenue Collected	\$266,412	\$960,345	\$214,889			
Other	\$924,223	\$1,116,640	\$272,347			
None	\$664,059	\$464,922	\$55,844			
EMS Collection Rate	25.15%	36.14%	31.92%			



CITISTAT

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

SUMMARY INDICATORS

	FY2002					
	FY2000 YEAR-END	FY2001 YEAR-END	FY2002 (July - Sept.)	FY2002 (Oct. - Dec.)	FY2002 (Jan. - March)	FY2002 (April - June)
FIRE PREVENTION/INVESTIGATIONS						
Public Fire Safety Education (Persons)	16,759	74,383	11,695			
Community Meetings/Events	160	326	73			
Inspections	20,196	24,795	6,492			
Permits Issued	6,647	7,213	1,665			
Smoke Detectors Distributed	8,294	11,067	3,426			
Smoke Detectors Installed	8,002	10,830	3,386			
Fire Marshal's Office Investigations	1,252	1,384	306			
Incendiary/Arson as Cause of Fire	559	597	169			
Investigation-Related Criminal Arrests	52 (CY)	79	19			



CITISTAT

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	10/10-10/23	10/24-11/06	11/07-11/20	11/21-12/04		Average	Minimum	Maximum	Total	Periods
Engine 2										
Total Responses	81	74	75	63	-16.0%	67.0	53.0	85.0	2078	31
EMS Responses	24	31	31	23	-25.8%	30.7	20.0	50.0	953	31
Building Inspections Performed	3	7	4	5	25.0%	5.3	-	15.0	164	31
Home Visit Inspections Performed	12	32	15	7	-53.3%	34.5	-	131.0	1071	31
Hydrants Inspected	34	34	34	34	0.0%	39.2	-	64.0	1214	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.0	-	3.0	63	31
Fire Prevention Presentations	0	0	0	0	0.0%	0.2	-	5.0	7	31
Smoke Detectors Installed	0	0	2	0	-100.0%	1.4	-	14.0	43	31
Battalion Training (Hours)	4	2	2	1	-50.0%	2.1	-	6.0	66	31
Company Training (Hours)	3.3	3	1	7	600.0%	4.0	-	13.0	123.2	31
Total Time in Service	55.45	51.5	50.1	49.35	-1.5%	47.2	28.1	88.2	1462.27	31
Engine 4										
Total Responses	89	74	73	75	2.7%	69.9	52.0	89.0	2167	31
EMS Responses	41	31	18	32	77.8%	30.5	18.0	41.0	946	31
Building Inspections Performed	9	2	5	5	0.0%	6.5	-	41.0	200	31
Home Visit Inspections Performed	126	24	68	43	-36.8%	67.3	-	318.0	2085	31
Hydrants Inspected	34	37	34	34	0.0%	30.6	-	53.0	948	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.0	-	5.0	62	31
Fire Prevention Presentations	0	3	1	0	-100.0%	1.1	-	9.0	34	31
Smoke Detectors Installed	14	6	13	6	-53.8%	18.0	-	41.0	559	31
Battalion Training (Hours)	7	4	10	11	10.0%	7.3	4.0	11.0	225.3	31
Company Training (Hours)	13	10	14	12	-14.3%	12.2	6.0	18.0	377.15	31
Total Time in Service	74.3	63	72.55	66.45	-8.4%	65.7	49.2	86.0	2036.66	31
Engine 5										
Total Responses	109	98	50	78	56.0%	84.1	50.0	109.0	2606	31
EMS Responses	63	50	16	39	143.8%	39.0	16.0	63.0	1210	31
Building Inspections Performed	9	7	3	4	33.3%	6.2	-	12.0	191	31
Home Visit Inspections Performed	28	67	106	31	-70.8%	45.1	-	110.0	1397	31
Hydrants Inspected	37	30	31	25	-19.4%	27.1	-	53.0	840	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	2.3	2.0	4.0	71	31
Fire Prevention Presentations	2	0	0	0	0.0%	0.6	-	5.0	20	31
Smoke Detectors Installed	3	7	3	0	-100.0%	4.9	-	24.0	153	31
Battalion Training (Hours)	1	3	7	5	-28.6%	4.2	1.0	8.0	131.2	31
Company Training (Hours)	8	9	4	6	50.0%	6.8	4.0	11.0	209.9	31
Total Time in Service	62.45	54.3	43.3	53	22.4%	57.6	38.5	91.3	1786.69	31
Engine 6										
Total Responses	154	187	148	142	-4.1%	154.4	110.0	209.0	4785	31
EMS Responses	58	64	61	49	-19.7%	66.4	44.0	98.0	2058	31
Building Inspections Performed	7	9	8	6	-25.0%	7.2	1.0	16.0	224	31
Home Visit Inspections Performed	2	31	10	23	130.0%	11.1	-	45.0	345	31
Hydrants Inspected	32	41	55	35	-36.4%	28.6	-	55.0	887	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	5	4	-20.0%	2.6	2.0	5.0	82	31
Fire Prevention Presentations	0	0	1	0	-100.0%	0.9	-	5.0	29	31
Smoke Detectors Installed	0	0	0	0	0.0%	0.3	-	7.0	10	31
Battalion Training (Hours)	6	4	6	6	0.0%	3.9	-	8.0	119.6	31
Company Training (Hours)	8	4	4	4.3	7.5%	6.3	2.0	20.0	196.6	31
Total Time in Service	74.54	80.25	82.2	73.45	-10.6%	78.1	56.6	160.5	2420.91	31



CITISTAT

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	10/10-10/23	10/24-11/06	11/07-11/20	11/21-12/04		Average	Minimum	Maximum	Total	Periods
Engine 8										
Total Responses	131	102	114	105	-7.9%	103.5	80.0	134.0	3208	31
EMS Responses	57	45	33	42	27.3%	43.3	31.0	61.0	1343	31
Building Inspections Performed	2	14	8	7	-12.5%	10.6	1.0	31.0	328	31
Home Visit Inspections Performed	12	15	49	21	-57.1%	22.5	-	65.0	699	31
Hydrants Inspected	72	39	43	28	-34.9%	40.9	7.0	99.0	1267	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.2	2.0	4.0	68	31
Fire Prevention Presentations	3	1	2	0	-100.0%	2.0	-	16.0	63	31
Smoke Detectors Installed	15	2	0	0	0.0%	9.5	-	32.0	296	31
Battalion Training (Hours)	4	4	4	4	0.0%	3.9	-	5.3	119.6	31
Company Training (Hours)	12	10	12	10	-16.7%	12.0	7.0	22.0	373.2	31
Total Time in Service	77	67	87.15	73	-16.2%	71.5	46.5	87.2	2215.73	31
Engine 13										
Total Responses	138	163	157	143	-8.9%	144.8	120.0	168.0	4490	31
EMS Responses	51	58	52	51	-1.9%	59.7	39.0	78.0	1852	31
Building Inspections Performed	2	3	5	4	-20.0%	8.4	2.0	25.0	259	31
Home Visit Inspections Performed	23	28	10	30	200.0%	22.7	-	70.0	705	31
Hydrants Inspected	60	47	40	63	57.5%	42.5	20.0	80.0	1318	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.4	2.0	4.0	75	31
Fire Prevention Presentations	14	0	1	0	-100.0%	2.1	-	20.0	64.5	31
Smoke Detectors Installed	0	17	0	0	0.0%	7.4	-	32.0	230	31
Battalion Training (Hours)	2	1	2	3	50.0%	3.7	-	12.0	115.3	31
Company Training (Hours)	8	22	9	9	0.0%	8.5	3.0	22.0	264.3	31
Total Time in Service	69.35	95.05	68.1	79.35	16.5%	79.6	55.5	130.2	2466.7	31
Engine 14										
Total Responses	118	158	142	127	-10.6%	131.7	104.0	171.0	4084	31
EMS Responses	63	80	74	71	-4.1%	77.3	52.0	100.0	2397	31
Building Inspections Performed	8	11	12	8	-33.3%	10.0	2.0	21.0	309	31
Home Visit Inspections Performed	67	46	68	77	13.2%	49.5	-	185.0	1534	31
Hydrants Inspected	28	36	28	32	14.3%	29.3	10.0	48.0	907	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.2	2.0	3.0	68	31
Fire Prevention Presentations	1	1	1	0	-100.0%	0.5	-	5.0	16	31
Smoke Detectors Installed	16	22	16	8	-50.0%	12.1	-	48.0	375	31
Battalion Training (Hours)	4	4	4	2	-50.0%	4.4	2.0	8.5	137.35	31
Company Training (Hours)	10.15	12	9.45	12.3	30.2%	11.5	4.0	22.0	356.35	31
Total Time in Service	76.45	90.3	88	79	-10.2%	82.8	56.5	120.2	2565.61	31
Engine 20										
Total Responses	75	98	89	75	-15.7%	76.2	60.0	105.0	2361	31
EMS Responses	41	50	29	39	34.5%	39.3	20.0	60.0	1217	31
Building Inspections Performed	12	9	4	8	100.0%	7.0	-	23.0	217	31
Home Visit Inspections Performed	97	53	30	47	56.7%	39.8	-	118.0	1233	31
Hydrants Inspected	62	76	59	75	27.1%	67.3	-	137.0	2087	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.5	2.0	3.0	77	31
Fire Prevention Presentations	2	0	0	0	0.0%	2.3	-	25.0	70	31
Smoke Detectors Installed	27	8	10	2	-80.0%	15.6	-	65.0	483	31
Battalion Training (Hours)	14	13	10	12	20.0%	12.3	6.0	21.0	382.8	31
Company Training (Hours)	11.45	11.3	9	8	-11.1%	11.4	4.0	19.3	352.53	31
Total Time in Service	78.55	78.4	76.3	72.1	-5.5%	70.5	54.3	116.2	2184.27	31



CITISTAT

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2-WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	10/10-10/23	10/24-11/06	11/07-11/20	11/21-12/04		Average	Minimum	Maximum	Total	Periods
Engine 21										
Total Responses	62	57	78	79	1.3%	65.7	40.0	82.0	2038	31
EMS Responses	33	26	38	35	-7.9%	36.8	20.0	54.0	1141	31
Building Inspections Performed	3	6	6	8	33.3%	5.5	-	12.0	170	31
Home Visit Inspections Performed	54	78	76	42	-44.7%	54.7	-	118.0	1697	31
Hydrants Inspected	32	34	28	28	0.0%	26.6	-	45.0	825	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.1	-	4.0	66	31
Fire Prevention Presentations	5	0	0	0	0.0%	0.8	-	5.0	24	31
Smoke Detectors Installed	2	5	0	0	0.0%	9.8	-	38.0	303	31
Battalion Training (Hours)	8	5.3	6	7	16.7%	6.1	-	10.0	189.7	31
Company Training (Hours)	2	7	6.3	2.3	-63.5%	5.1	-	36.0	158	31
Total Time in Service	47.3	54	48.4	45.15	-6.7%	49.2	27.5	79.0	1525.88	31
Engine 23										
Total Responses	127	138	113	106	-6.2%	122.8	102.0	149.0	3808	31
EMS Responses	38	49	36	48	33.3%	50.8	36.0	70.0	1574	31
Building Inspections Performed	11	4	4	7	75.0%	7.0	-	21.0	217	31
Home Visit Inspections Performed	35	10	0	0	0.0%	23.5	-	122.0	728	31
Hydrants Inspected	25	25	25	25	0.0%	25.0	2.0	83.0	775	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.5	2.0	5.0	78	31
Fire Prevention Presentations	0	1	0	0	0.0%	0.5	-	3.0	15	31
Smoke Detectors Installed	0	0	0	0	0.0%	0.5	-	6.0	16	31
Battalion Training (Hours)	2	1	0	0	0.0%	3.0	-	6.0	92	31
Company Training (Hours)	12	15	15	15	0.0%	11.8	3.0	46.0	364.3	31
Total Time in Service	66.3	72.25	61	65.1	6.7%	68.2	48.4	117.2	2112.97	31
Engine 26										
Total Responses	38	35	34	29	-14.7%	39.8	24.0	56.0	1235	31
EMS Responses	14	13	12	15	25.0%	17.0	5.0	29.0	527	31
Building Inspections Performed	5	4	2	4	100.0%	4.5	-	12.0	139	31
Home Visit Inspections Performed	75	36	42	38	-9.5%	55.2	-	182.0	1712	31
Hydrants Inspected	22	22	22	22	0.0%	27.5	-	79.0	851	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.2	1.0	3.0	67	31
Fire Prevention Presentations	3	0	0	0	0.0%	0.5	-	3.0	14	31
Smoke Detectors Installed	8	0	6	2	-66.7%	4.1	-	17.0	126	31
Battalion Training (Hours)	4	4	4	2	-50.0%	3.6	-	8.0	111	31
Company Training (Hours)	13	13	15	15	0.0%	12.0	6.0	17.3	370.95	31
Total Time in Service	48.3	46.3	48.15	42.45	-11.8%	51.7	34.1	89.2	1602.3	31
Engine 27										
Total Responses	76	86	77	72	-6.5%	67.8	54.0	86.0	2103	31
EMS Responses	40	38	29	34	17.2%	32.2	21.0	41.0	999	31
Building Inspections Performed	11	17	12	16	33.3%	10.5	-	19.0	327	31
Home Visit Inspections Performed	12	42	28	17	-39.3%	36.0	-	103.0	1116	31
Hydrants Inspected	34	42	52	49	-5.8%	34.7	-	74.0	1076	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.2	2.0	3.0	69	31
Fire Prevention Presentations	2	3	0	0	0.0%	0.9	-	6.0	27	31
Smoke Detectors Installed	2	4	0	8		7.8	-	26.0	243	31
Battalion Training (Hours)	3	4	7	8	14.3%	4.4	-	9.3	136.35	31
Company Training (Hours)	8	6	10.3	3	-70.9%	8.2	3.0	13.0	254.9	31
Total Time in Service	49.3	62	56.3	55	-2.3%	56.0	39.5	84.6	1736.97	31



CITISTAT

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2-WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	10/10-10/23	10/24-11/06	11/07-11/20	11/21-12/04		Average	Minimum	Maximum	Total	Periods
Engine 29										
Total Responses	132	109	118	115	-2.5%	115.7	88.0	140.0	3586	31
EMS Responses	85	72	64	72	12.5%	74.4	57.0	99.0	2305	31
Building Inspections Performed	7	7	3	3	0.0%	6.6	-	22.0	205	31
Home Visit Inspections Performed	94	54	0	91		56.5	-	218.0	1753	31
Hydrants Inspected	38	52	39	30	-23.1%	50.3	-	139.0	1559	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.3	-	6.0	70	31
Fire Prevention Presentations	2	0	3	0	-100.0%	1.2	-	9.0	37	31
Smoke Detectors Installed	10	3	41	4	-90.2%	17.0	-	54.0	526	31
Battalion Training (Hours)	5.3	8.3	5	2	-60.0%	6.7	-	12.0	207.55	31
Company Training (Hours)	10	12	14	6	-57.1%	9.2	2.2	18.0	285.1	31
Total Time in Service	81.25	71.35	83.55	63.55	-23.9%	86.2	56.3	120.2	2672.31	31
Engine 30										
Total Responses	87	116	79	87	10.1%	82.8	66.0	116.0	2568	31
EMS Responses	42	49	34	51	50.0%	39.9	27.0	58.0	1238	31
Building Inspections Performed	7	7	4	10	150.0%	6.5	2.0	16.0	202	31
Home Visit Inspections Performed	14	0	36	24	-33.3%	36.0	-	213.0	1117	31
Hydrants Inspected	34	33	14	16	14.3%	31.8	-	80.0	987	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.1	-	3.0	66	31
Fire Prevention Presentations	0	0	0	0	0.0%	0.5	-	8.0	15	31
Smoke Detectors Installed	0	0	0	0	0.0%	7.8	-	28.0	242	31
Battalion Training (Hours)	4	4	3	4	33.3%	5.0	3.0	13.0	154	31
Company Training (Hours)	4	7	21	7.3	-65.2%	7.0	1.0	21.0	216.3	31
Total Time in Service	60.45	80	70.15	67.45	-3.8%	63.8	43.5	97.2	1978.8	31
Engine 31										
Total Responses	106	87	89	105	18.0%	98.2	76.0	116.0	3044	31
EMS Responses	45	30	34	50	47.1%	45.2	30.0	58.0	1401	31
Building Inspections Performed	13	10	10	12	20.0%	7.4	1.0	16.0	228	31
Home Visit Inspections Performed	19	48	46	69	50.0%	27.6	-	133.0	856	31
Hydrants Inspected	52	52	52	52	0.0%	38.3	-	62.0	1186	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.4	1.0	5.0	74	31
Fire Prevention Presentations	0	1	0	0	0.0%	0.7	-	6.0	23	31
Smoke Detectors Installed	7	0	0	0	0.0%	5.9	-	27.0	182	31
Battalion Training (Hours)	4	4	7.3	4	-45.2%	3.7	2.0	7.3	115.7	31
Company Training (Hours)	8	7	7.3	7	-4.1%	8.6	4.0	18.0	266.6	31
Total Time in Service	64.05	64.1	64.35	60.35	-6.2%	63.5	51.5	124.5	1969.59	31
Engine 33										
Total Responses	78	118	148	112	-24.3%	114.9	78.0	148.0	3562	31
EMS Responses	43	55	82	61	-25.6%	56.5	38.0	82.0	1750	31
Building Inspections Performed	7	11	9	11	22.2%	11.0	2.0	28.0	341	31
Home Visit Inspections Performed	47	54	78	56	-28.2%	48.6	-	134.0	1506	31
Hydrants Inspected	52	52	49	52	6.1%	44.3	-	92.0	1374	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.1	-	4.0	66	31
Fire Prevention Presentations	0	0	0	0	0.0%	1.5	-	26.0	46	31
Smoke Detectors Installed	6	12	9	0	-100.0%	11.7	-	54.0	362	31
Battalion Training (Hours)	4	6.3	4	4	0.0%	3.7	1.0	10.0	114.85	31
Company Training (Hours)	7.3	4	10	12.3	23.0%	7.0	2.0	18.0	217.8	31
Total Time in Service	82	94.3	92	85.3	-7.3%	85.9	61.5	118.3	2662.46	31



CITISTAT

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2-WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	10/10-10/23	10/24-11/06	11/07-11/20	11/21-12/04		Average	Minimum	Maximum	Total	Periods
Engine 35										
Total Responses	70	61	51	39	-23.5%	43.9	31.0	70.0	1361	31
EMS Responses	23	19	22	19	-13.6%	23.5	15.0	33.0	730	31
Building Inspections Performed	1	7	2	3	50.0%	2.6	-	9.0	80	31
Home Visit Inspections Performed	12	9	7	12	71.4%	22.5	-	131.0	698	31
Hydrants Inspected	22	12	22	24	9.1%	23.5	-	88.0	728	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.2	1.0	4.0	68	31
Fire Prevention Presentations	1	0	0	0	0.0%	0.9	-	8.0	27	31
Smoke Detectors Installed	0	2	0	4		4.8	-	24.0	150	31
Battalion Training (Hours)	2	3	7.3	4	-45.2%	4.2	-	37.0	130.6	31
Company Training (Hours)	4	7	7	7	0.0%	6.6	2.0	16.0	205.3	31
Total Time in Service	52.5	51.5	42	36.15	-13.9%	43.5	28.2	94.3	1349.36	31
Engine 36										
Total Responses	82	87	93	79	-15.1%	85.1	61.0	107.0	2638	31
EMS Responses	35	30	35	31	-11.4%	37.9	12.0	56.0	1174	31
Building Inspections Performed	24	20	20	19	-5.0%	10.9	-	24.0	338	31
Home Visit Inspections Performed	80	95	94	60	-36.2%	41.9	-	124.0	1299	31
Hydrants Inspected	60	57	74	48	-35.1%	38.0	-	74.0	1179	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.1	1.0	3.0	66	31
Fire Prevention Presentations	4	0	0	0	0.0%	0.7	-	6.0	22	31
Smoke Detectors Installed	41	6	39	21	-46.2%	20.6	-	62.0	640	31
Battalion Training (Hours)	5	4	4	4	0.0%	3.7	2.0	6.0	114.3	31
Company Training (Hours)	6	5	5	5	0.0%	22.2	2.0	515.0	688	31
Total Time in Service	72	70.4	76.3	75.45	-1.1%	60.1	39.3	96.5	1863.49	31
Engine 40										
Total Responses	74	85	87	70	-19.5%	75.9	52.0	97.0	2353	31
EMS Responses	39	35	38	41	7.9%	40.1	18.0	62.0	1244	31
Building Inspections Performed	3	4	2	6	200.0%	6.4	-	38.0	198	31
Home Visit Inspections Performed	42	27	55	13	-76.4%	52.2	-	203.0	1619	31
Hydrants Inspected	61	63	71	74	4.2%	57.9	-	144.0	1795	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.6	2.0	5.0	82	31
Fire Prevention Presentations	9	3	0	0	0.0%	2.1	-	16.0	64	31
Smoke Detectors Installed	6	5	2	0	-100.0%	10.3	-	59.0	319	31
Battalion Training (Hours)	8.3	11	12	10.3	-14.2%	10.1	5.3	14.1	313.95	31
Company Training (Hours)	9.3	12	12	12.45	3.7%	12.5	9.0	22.3	386.65	31
Total Time in Service	73.4	65.2	85.1	68.55	-19.4%	69.4	43.4	100.5	2152.1	31
Engine 41										
Total Responses	72	80	81	74	-8.6%	78.5	58.0	99.0	2435	31
EMS Responses	36	47	41	45	9.8%	46.5	33.0	62.0	1442	31
Building Inspections Performed	10	12	8	4	-50.0%	12.2	2.0	110.0	379	31
Home Visit Inspections Performed	75	71	106	22	-79.2%	59.5	-	168.0	1845	31
Hydrants Inspected	40	38	40	44	10.0%	41.5	10.0	63.0	1288	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	2.5	2.0	4.0	79	31
Fire Prevention Presentations	5	0	1	2	100.0%	1.3	-	7.0	39	31
Smoke Detectors Installed	0	25	0	0	0.0%	9.3	-	45.0	287	31
Battalion Training (Hours)	3.3	6	4.3	5	16.3%	5.1	-	12.0	157.65	31
Company Training (Hours)	11.3	20	14.45	11	-23.9%	10.8	4.0	20.0	333.41	31
Total Time in Service	58.3	67.3	72.3	60.3	-16.6%	61.8	41.2	84.0	1916	31



CITISTAT

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	10/10-10/23	10/24-11/06	11/07-11/20	11/21-12/04		Average	Minimum	Maximum	Total	Periods
Engine 42										
Total Responses	54	56	55	63	14.5%	52.8	30.0	72.0	1638	31
EMS Responses	18	22	21	29	38.1%	24.0	13.0	35.0	743	31
Building Inspections Performed	5	6	8	7	-12.5%	4.9	-	10.0	151	31
Home Visit Inspections Performed	33	23	69	76	10.1%	58.7	-	169.0	1820	31
Hydrants Inspected	64	66	62	64	3.2%	48.3	-	75.0	1496	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.1	-	5.0	66	31
Fire Prevention Presentations	2	0	0	0	0.0%	1.0	-	7.0	32	31
Smoke Detectors Installed	12	5	0	0	0.0%	8.6	-	25.0	268	31
Battalion Training (Hours)	8	6	6	6	0.0%	6.6	2.0	11.0	205.3	31
Company Training (Hours)	9	8	6	10	66.7%	10.7	1.0	28.0	331.9	31
Total Time in Service	59	56.45	43.3	50.3	16.2%	53.6	34.6	81.3	1660.05	31
Engine 43										
Total Responses	75	84	77	75	-2.6%	73.1	53.0	89.0	2266	31
EMS Responses	33	34	33	56	69.7%	42.8	29.0	56.0	1327	31
Building Inspections Performed	4	4	1	2	100.0%	4.0	-	10.0	123	31
Home Visit Inspections Performed	109	51	63	105	66.7%	54.6	-	150.0	1692	31
Hydrants Inspected	45	58	46	46	0.0%	38.7	-	58.0	1199	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	2.3	1.0	3.0	71	31
Fire Prevention Presentations	4	0	0	0	0.0%	0.8	-	4.0	24	31
Smoke Detectors Installed	0	12	32	0	-100.0%	9.3	-	48.0	288	31
Battalion Training (Hours)	6	7.3	8	9	12.5%	5.8	-	10.0	179.9	31
Company Training (Hours)	1	0	2	4	100.0%	6.7	-	17.0	208.5	31
Total Time in Service	54	55.3	49.3	55.3	12.2%	53.9	43.0	64.4	1669.77	31
Engine 44										
Total Responses	62	57	55	52	-5.5%	45.6	30.0	62.0	1413	31
EMS Responses	19	18	20	17	-15.0%	12.8	2.0	20.0	397	31
Building Inspections Performed	12	7	9	3	-66.7%	6.0	-	15.0	185	31
Home Visit Inspections Performed	173	118	116	58	-50.0%	99.9	-	282.0	3098	31
Hydrants Inspected	38	38	38	38	0.0%	33.0	-	59.0	1022	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.5	2.0	4.0	78	31
Fire Prevention Presentations	1	0	0	0	0.0%	1.1	-	10.0	35	31
Smoke Detectors Installed	4	10	1	0	-100.0%	3.7	-	14.0	114	31
Battalion Training (Hours)	3	6	5	8	60.0%	6.8	3.0	11.0	211.6	31
Company Training (Hours)	6	9.3	8	5	-37.5%	6.2	1.5	18.0	192.1	31
Total Time in Service	56.15	70.15	57.3	54	-5.8%	53.7	36.6	78.3	1665.2	31
Engine 45										
Total Responses	52	51	69	57	-17.4%	52.7	33.0	69.0	1634	31
EMS Responses	21	22	39	27	-30.8%	29.0	17.0	45.0	899	31
Building Inspections Performed	2	4	1	3	200.0%	3.6	-	12.0	111	31
Home Visit Inspections Performed	31	50	21	31	47.6%	35.1	-	84.0	1087	31
Hydrants Inspected	46	41	42	43	2.4%	38.7	-	70.0	1201	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	1.9	-	3.0	60	31
Fire Prevention Presentations	0	1	0	0	0.0%	0.8	-	4.0	25	31
Smoke Detectors Installed	7	0	0	0	0.0%	4.0	-	20.0	123	31
Battalion Training (Hours)	12	10	8	10	25.0%	9.3	2.0	17.0	288.8	31
Company Training (Hours)	6	8	8	5	-37.5%	8.3	-	19.0	255.8	31
Total Time in Service	55.52	50.15	49.59	49.55	-0.1%	54.2	41.1	72.4	1680.76	31



CITISTAT

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2-WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	10/10-10/23	10/24-11/06	11/07-11/20	11/21-12/04		Average	Minimum	Maximum	Total	Periods
Engine 46										
Total Responses	127	132	108	105	-2.8%	117.9	96.0	142.0	3655	31
EMS Responses	58	63	41	66	61.0%	70.2	41.0	95.0	2177	31
Building Inspections Performed	9	6	5	4	-20.0%	9.0	4.0	17.0	280	31
Home Visit Inspections Performed	128	78	140	64	-54.3%	101.5	-	358.0	3147	31
Hydrants Inspected	42	41	42	44	4.8%	43.9	2.0	127.0	1360	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.6	2.0	7.0	82	31
Fire Prevention Presentations	2	3	1	0	-100.0%	1.7	-	10.0	52	31
Smoke Detectors Installed	0	8	0	0	0.0%	10.9	-	49.0	338	31
Battalion Training (Hours)	9	13.3	6	8	33.3%	8.6	5.0	14.0	267	31
Company Training (Hours)	8	7	6	9	50.0%	9.6	3.0	27.0	297.55	31
Total Time in Service	86.35	79.4	73.25	75.3	2.8%	82.9	67.4	110.1	2568.71	31
Engine 47										
Total Responses	38	39	35	34	-2.9%	36.3	21.0	53.0	1126	31
EMS Responses	13	16	13	13	0.0%	16.1	7.0	23.0	498	31
Building Inspections Performed	6	10	6	10	66.7%	6.8	-	19.0	212	31
Home Visit Inspections Performed	29	40	55	21	-61.8%	62.2	-	272.0	1928	31
Hydrants Inspected	34	34	35	35	0.0%	30.2	-	53.0	935	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.3	2.0	3.0	71	31
Fire Prevention Presentations	0	1	1	0	-100.0%	1.5	-	16.0	48	31
Smoke Detectors Installed	0	2	0	0	0.0%	3.7	-	18.0	116	31
Battalion Training (Hours)	8	8	6	8	33.3%	7.0	4.0	14.0	217.3	31
Company Training (Hours)	10	9	11	12	9.1%	13.3	8.0	34.0	410.95	31
Total Time in Service	53.45	51.45	51.3	50	-2.5%	55.3	32.1	76.3	1714.79	31
Engine 50										
Total Responses	46	53	48	46	-4.2%	47.0	34.0	75.0	1458	31
EMS Responses	30	31	26	32	23.1%	28.3	19.0	44.0	876	31
Building Inspections Performed	5	14	4	5	25.0%	9.2	2.0	22.0	285	31
Home Visit Inspections Performed	75	98	61	38	-37.7%	43.4	-	139.0	1344	31
Hydrants Inspected	35	46	63	70	11.1%	46.1	-	82.0	1430	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.2	1.0	4.0	69	31
Fire Prevention Presentations	1	1	0	0	0.0%	0.4	-	3.0	13	31
Smoke Detectors Installed	4	0	4	0	-100.0%	3.7	-	23.0	115	31
Battalion Training (Hours)	8	5.3	11	9	-18.2%	10.3	5.0	16.0	318.2	31
Company Training (Hours)	12	13	14	15	7.1%	10.3	5.0	17.2	320.4	31
Total Time in Service	47.3	60.4	58.15	57.5	-1.1%	55.0	35.4	68.6	1705.86	31
Engine 51										
Total Responses	146	147	158	143	-9.5%	140.5	107.0	183.0	4355	31
EMS Responses	85	71	80	78	-2.5%	78.8	56.0	101.0	2443	31
Building Inspections Performed	15	9	8	10	25.0%	9.5	-	27.0	296	31
Home Visit Inspections Performed	110	85	132	89	-32.6%	74.4	-	184.0	2307	31
Hydrants Inspected	44	39	35	38	8.6%	32.7	-	111.0	1013	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	2.1	2.0	3.0	65	31
Fire Prevention Presentations	1	0	0	1		1.1	-	9.0	35	31
Smoke Detectors Installed	14	9	17	7	-58.8%	12.9	-	32.0	400	31
Battalion Training (Hours)	0	5.3	8	7	-12.5%	6.0	-	17.0	185.9	31
Company Training (Hours)	11	10	9	8	-11.1%	11.5	6.0	16.0	355.6	31
Total Time in Service	81.45	78	83.45	88.45	6.0%	82.4	57.0	166.3	2553.23	31



CITISTAT

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2-WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	10/10-10/23	10/24-11/06	11/07-11/20	11/21-12/04		Average	Minimum	Maximum	Total	Periods
Engine 52										
Total Responses	107	126	119	98	-17.6%	108.4	91.0	137.0	3361	31
EMS Responses	50	66	60	49	-18.3%	57.2	44.0	72.0	1772	31
Building Inspections Performed	8	7	3	8	166.7%	7.3	-	11.0	225	31
Home Visit Inspections Performed	45	103	29	104	258.6%	49.5	-	142.0	1536	31
Hydrants Inspected	43	36	37	47	27.0%	35.5	-	62.0	1099	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.1	1.0	4.0	66	31
Fire Prevention Presentations	2	2	0	0	0.0%	0.9	-	7.0	27	31
Smoke Detectors Installed	22	27	33	0	-100.0%	16.4	-	52.0	509	31
Battalion Training (Hours)	10	11	3.3	9.3	181.8%	10.3	1.0	114.0	318.5	31
Company Training (Hours)	3	6	3	8	166.7%	10.2	1.3	25.0	314.95	31
Total Time in Service	73.05	83.4	65.13	81	24.4%	73.7	52.5	120.0	2285.18	31
Engine 53										
Total Responses	69	60	76	73	-3.9%	65.1	50.0	79.0	2017	31
EMS Responses	42	30	40	31	-22.5%	37.4	28.0	48.0	1160	31
Building Inspections Performed	6	9	9	9	0.0%	7.0	2.0	13.0	218	31
Home Visit Inspections Performed	22	32	58	15	-74.1%	41.1	-	125.0	1275.06	31
Hydrants Inspected	66	65	66	65	-1.5%	54.0	-	102.0	1673	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	3	2	3	50.0%	2.5	2.0	4.0	78	31
Fire Prevention Presentations	11	1	0	1		1.9	-	16.0	59	31
Smoke Detectors Installed	30	16	8	0	-100.0%	22.8	-	80.0	707	31
Battalion Training (Hours)	4	3	2	2.3	15.0%	3.1	-	7.3	96.2	31
Company Training (Hours)	11	15	11.3	16	41.6%	10.7	5.0	31.0	332.25	31
Total Time in Service	68	63	58.15	71.45	22.9%	57.3	37.0	72.0	1775	31
Engine 54										
Total Responses	61	66	53	49	-7.5%	54.4	32.0	72.0	1686	31
EMS Responses	27	32	17	32	88.2%	31.7	8.0	53.0	984	31
Building Inspections Performed	7	8	5	5	0.0%	5.0	-	8.0	155	31
Home Visit Inspections Performed	85	76	47	33	-29.8%	53.1	-	140.0	1646	31
Hydrants Inspected	40	41	16	36	125.0%	32.7	-	46.0	1013	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.0	-	3.0	61	31
Fire Prevention Presentations	0	1	2	0	-100.0%	0.6	-	5.0	18	31
Smoke Detectors Installed	6	19	0	0	0.0%	7.2	-	29.0	223	31
Battalion Training (Hours)	8	10	8	8	0.0%	7.6	4.0	12.0	234.6	31
Company Training (Hours)	8	8	7	8	14.3%	8.2	2.0	11.3	255.2	31
Total Time in Service	56.45	63.3	51.3	51.45	0.3%	54.1	38.3	84.5	1676.98	31
Engine 55										
Total Responses	64	53	44	47	6.8%	53.0	36.0	81.0	1643	31
EMS Responses	30	14	13	14	7.7%	21.3	8.0	37.0	660	31
Building Inspections Performed	9	10	6	10	66.7%	7.9	4.0	15.0	246	31
Home Visit Inspections Performed	42	50	42	51	21.4%	42.4	-	95.0	1313	31
Hydrants Inspected	29	36	21	19	-9.5%	25.3	1.0	49.0	783	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	4	100.0%	2.5	2.0	4.0	77	31
Fire Prevention Presentations	0	0	1	0	-100.0%	0.6	-	4.0	18	31
Smoke Detectors Installed	5	0	4	0	-100.0%	5.6	-	17.0	173	31
Battalion Training (Hours)	4	5	4	4	0.0%	3.8	-	6.0	117.3	31
Company Training (Hours)	28	26	29	25.3	-12.8%	25.3	15.0	35.3	783.25	31
Total Time in Service	75.3	68.3	80	71	-11.3%	76.4	53.1	124.0	2367.31	31



CITISTAT

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	10/10-10/23	10/24-11/06	11/07-11/20	11/21-12/04		Average	Minimum	Maximum	Total	Periods
Engine 56										
Total Responses	65	68	56	47	-16.1%	57.0	39.0	75.0	1768	31
EMS Responses	39	39	33	26	-21.2%	35.3	23.0	52.0	1094	31
Building Inspections Performed	9	5	4	4	0.0%	6.3	-	19.0	196	31
Home Visit Inspections Performed	131	102	52	113	117.3%	68.0	-	227.0	2109	31
Hydrants Inspected	51	57	49	58	18.4%	41.8	3.0	67.0	1296	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.3	1.0	3.0	72	31
Fire Prevention Presentations	1	0	0	0	0.0%	0.9	-	7.0	29	31
Smoke Detectors Installed	5	6	10	2	-80.0%	6.2	-	22.0	191	31
Battalion Training (Hours)	6	6	2	3	50.0%	4.8	-	8.0	149.7	31
Company Training (Hours)	11	16	9	13	44.4%	13.3	5.0	25.3	411.75	31
Total Time in Service	56.45	66	50	52.45	4.9%	55.5	33.1	70.3	1720.59	31
Engine 57										
Total Responses	36	39	34	24	-29.4%	34.3	24.0	46.0	1064	31
EMS Responses	14	12	22	10	-54.5%	19.3	10.0	29.0	597	31
Building Inspections Performed	6	10	7	10	42.9%	14.8	-	61.0	459	31
Home Visit Inspections Performed	46	46	0	62		47.0	-	135.0	1458	31
Hydrants Inspected	22	22	22	22	0.0%	28.5	-	121.0	884	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	10	10	8	8	0.0%	7.4	2.0	12.0	229	31
Fire Prevention Presentations	0	0	0	0	0.0%	1.1	-	8.0	34	31
Smoke Detectors Installed	6	3	0	0	0.0%	4.0	-	24.0	123	31
Battalion Training (Hours)	8	11	10	8	-20.0%	9.2	2.0	37.0	284.5	31
Company Training (Hours)	7	4	10.3	11	6.8%	8.4	4.0	18.0	259.6	31
Total Time in Service	45.25	56.4	57.2	51.25	-10.4%	61.0	40.0	105.5	1891.07	31
Engine 58										
Total Responses	94	98	71	72	1.4%	74.9	59.0	98.0	2323	31
EMS Responses	40	53	45	42	-6.7%	44.5	31.0	57.0	1379	31
Building Inspections Performed	16	7	6	7	16.7%	7.6	1.0	22.0	236	31
Home Visit Inspections Performed	6	97	76	59	-22.4%	28.1	-	97.0	871	31
Hydrants Inspected	43	58	41	41	0.0%	38.5	-	58.0	1194	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.4	2.0	4.0	74	31
Fire Prevention Presentations	0	2	2	5	150.0%	2.0	-	17.0	63	31
Smoke Detectors Installed	0	10	9	3	-66.7%	7.0	-	26.0	218	31
Battalion Training (Hours)	2	3	9	6.3	-30.0%	6.3	-	35.0	193.85	31
Company Training (Hours)	16.3	18.3	16.15	19	17.6%	19.5	3.0	28.0	605.3	31
Total Time in Service	75.15	89.15	73.2	88.1	20.4%	76.8	57.1	104.4	2380.81	31
Engine 124										
Total Responses	49	37	55	40	-27.3%	41.4	23.0	57.0	1284	31
EMS Responses	19	17	13	17	30.8%	21.1	13.0	33.0	655	31
Building Inspections Performed	6	5	7	2	-71.4%	7.8	-	18.0	241	31
Home Visit Inspections Performed	62	94	79	40	-49.4%	75.7	-	198.0	2345.5	31
Hydrants Inspected	30	52	33	48	45.5%	31.5	-	152.0	977	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	2.1	2.0	3.0	66	31
Fire Prevention Presentations	2	1	0	0	0.0%	0.3	-	2.0	10	31
Smoke Detectors Installed	8	19	9	0	-100.0%	8.3	-	34.0	258	31
Battalion Training (Hours)	1.3	2.3	4	5	25.0%	3.6	-	14.0	112.09	31
Company Training (Hours)	5.3	13	7.3	7.3	0.0%	8.6	-	21.2	265.8	31
Total Time in Service	40.15	54.15	49.15	44.15	-10.2%	45.6	28.0	80.5	1413.75	31



CITISTAT

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

FIRE SUPPRESSION (TRUCKS)

TRUCK RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	10/10-10/23	10/24-11/06	11/07-11/20	11/21-12/04		Average	Minimum	Maximum	Total	Periods
Truck 1										
Total Responses	142	129	109	110	0.9%	125.0	94.0	148.0	3874	31
EMS Response	59	50	55	49	-10.9%	57.6	24.0	85.0	1787	31
Building Inspections Performed	2	7	5	3	-40.0%	5.2	1.0	11.0	160	31
Home Visit Inspections Performed	13	20	21	26	23.8%	14.0	-	56.0	434	31
Hydrants Inspected	42	35	26	42	61.5%	31.7	-	58.0	984	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	3	2	-33.3%	2.4	1.0	6.0	75	31
Fire Prevention Presentations	0	0	0	0	0.0%	0.7	-	5.0	23	31
Smoke Detectors Installed	11	15	0	8		3.2	-	22.0	98	31
Battalion Training (Hours)	3.3	2	3.3	1	-69.7%	3.1	-	7.0	96.25	31
Company Training (Hours)	2	6	4.3	5	16.3%	6.2	1.3	14.0	190.8	31
Total Time in Service	67.5	71.05	64.2	56.55	-11.9%	73.3	56.3	113.1	2271.53	31
Truck 3										
Total Responses	67	65	94	82	-12.8%	78.1	57.0	115.0	2420	31
EMS Response	33	26	47	36	-23.4%	36.0	26.0	49.0	1115	31
Building Inspections Performed	5	4	10	4	-60.0%	6.1	1.0	15.0	190	31
Home Visit Inspections Performed	31	66	65	43	-33.8%	38.3	-	89.0	1186	31
Hydrants Inspected	36	39	36	39	8.3%	37.9	14.0	71.0	1175	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	2.4	2.0	4.0	74	31
Fire Prevention Presentations	3	0	0	1		1.1	-	11.0	34	31
Smoke Detectors Installed	0	0	0	0	0.0%	3.1	-	17.0	96	31
Battalion Training (Hours)	3.3	4	6	1.3	-78.3%	3.4	1.0	6.0	106.2	31
Company Training (Hours)	5	5	9	8	-11.1%	6.9	4.0	18.0	214	31
Total Time in Service	59.15	50.3	69.45	69.45	0.0%	56.1	21.0	75.2	1739.43	31
Truck 5										
Total Responses	114	103	63	81	28.6%	107.1	63.0	131.0	3320	31
EMS Response	63	51	15	39	160.0%	52.9	15.0	74.0	1639	31
Building Inspections Performed	13	20	16	7	-56.3%	12.5	-	22.0	388	31
Home Visit Inspections Performed	30	62	45	93	106.7%	42.5	-	113.0	1316	31
Hydrants Inspected	51	50	50	55	10.0%	39.9	-	70.0	1237	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	3	3	0.0%	2.5	1.0	3.0	77	31
Fire Prevention Presentations	0	0	1	0	-100.0%	0.8	-	3.0	24	31
Smoke Detectors Installed	23	24	0	0	0.0%	10.8	-	56.0	336	31
Battalion Training (Hours)	4	2	5	2	-60.0%	2.6	-	5.0	79.35	31
Company Training (Hours)	20.3	21.3	20	16	-20.0%	12.6	2.0	21.3	389.3	31
Total Time in Service	77.1	85.1	70.53	67.51	-4.3%	76.6	53.2	117.2	2374.56	31
Truck 6										
Total Responses	61	53	41	50	22.0%	52.3	37.0	75.0	1620	31
EMS Response	13	18	20	20	0.0%	19.7	13.0	32.0	612	31
Building Inspections Performed	7	2	2	1	-50.0%	4.9	-	60.0	153	31
Home Visit Inspections Performed	33	50	22	29	31.8%	31.2	-	103.0	968	31
Hydrants Inspected	30	30	30	30	0.0%	24.6	-	60.0	762	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.1	-	3.0	65	31
Fire Prevention Presentations	2	0	0	0	0.0%	0.2	-	2.0	7	31
Smoke Detectors Installed	0	0	0	0	0.0%	2.7	-	31.0	83	31
Battalion Training (Hours)	4	2	4	5	25.0%	3.2	-	6.0	98.3	31
Company Training (Hours)	5	8	7	6	-14.3%	7.4	2.0	26.2	230.05	31
Total Time in Service	49.45	45	37.45	37.2	-0.7%	41.5	25.0	79.5	1287.82	31



CITISTAT

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

FIRE SUPPRESSION (TRUCKS)

TRUCK RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	10/10-10/23	10/24-11/06	11/07-11/20	11/21-12/04		Average	Minimum	Maximum	Total	Periods
Truck 8										
Total Responses	82	72	77	97	26.0%	80.1	55.0	121.0	2484	31
EMS Response	27	29	34	40	17.6%	37.8	23.0	54.0	1172	31
Building Inspections Performed	7	3	9	10	11.1%	8.8	-	19.0	274	31
Home Visit Inspections Performed	30	25	20	15	-25.0%	29.5	-	120.0	914	31
Hydrants Inspected	35	34	41	41	0.0%	31.0	-	51.0	960	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.3	1.0	4.0	71	31
Fire Prevention Presentations	0	0	0	0	0.0%	0.4	-	4.0	11	31
Smoke Detectors Installed	5	1	0	0	0.0%	5.4	-	15.0	167	31
Battalion Training (Hours)	10	14	16	12	-25.0%	11.4	4.0	17.0	353	31
Company Training (Hours)	11	8	8.45	11	30.2%	8.9	3.0	16.0	275.95	31
Total Time in Service	68	67.3	73.15	81.15	10.9%	71.4	38.2	88.3	2214.45	31
Truck 10										
Total Responses	94	98	121	101	-16.5%	96.1	75.0	121.0	2979	31
EMS Response	36	39	56	32	-42.9%	39.0	26.0	56.0	1209	31
Building Inspections Performed	10	11	7	10	42.9%	8.4	-	22.0	259	31
Home Visit Inspections Performed	26	18	8	16	100.0%	17.1	-	71.0	529	31
Hydrants Inspected	18	25	20	18	-10.0%	15.0	-	34.0	466	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	4	4	4	0.0%	2.7	-	5.0	83	31
Fire Prevention Presentations	3	1	0	0	0.0%	1.3	-	15.0	40	31
Smoke Detectors Installed	3	3	0	0	0.0%	5.5	-	20.0	170	31
Battalion Training (Hours)	4	5.3	4	3	-25.0%	2.7	-	6.0	83.75	31
Company Training (Hours)	14	13	13	9	-30.8%	7.6	-	17.0	235.65	31
Total Time in Service	87	70	76.05	92	21.0%	66.8	40.3	114.5	2069.37	31
Truck 12										
Total Responses	92	78	84	78	-7.1%	77.2	49.0	116.0	2392	31
EMS Response	39	27	31	29	-6.5%	33.5	9.0	74.0	1037	31
Building Inspections Performed	5	7	5	9	80.0%	5.5	1.0	12.0	172	31
Home Visit Inspections Performed	50	84	59	21	-64.4%	43.2	-	113.0	1339	31
Hydrants Inspected	33	37	44	50	13.6%	36.8	-	85.0	1142	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.5	2.0	4.0	79	31
Fire Prevention Presentations	7	4	0	0	0.0%	1.2	-	7.0	36	31
Smoke Detectors Installed	8	10	9	0	-100.0%	11.4	-	38.0	353	31
Battalion Training (Hours)	9	4	8	5.3	-33.8%	7.1	2.0	13.0	218.8	31
Company Training (Hours)	13	19	8.3	9	8.4%	11.5	6.3	19.0	356.65	31
Total Time in Service	76.3	71.05	75.2	74.25	-1.3%	68.4	46.3	120.3	2119.05	31
Truck 15										
Total Responses	117	119	120	131	9.2%	129.7	101.0	183.0	4022	31
EMS Response	64	65	68	72	5.9%	71.9	51.0	104.0	2228	31
Building Inspections Performed	10	0	11	13	18.2%	14.1	-	75.0	436	31
Home Visit Inspections Performed	25	0	26	11	-57.7%	29.2	-	99.0	905	31
Hydrants Inspected	60	52	47	61	29.8%	38.6	-	90.0	1196	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	2.2	1.0	4.0	69	31
Fire Prevention Presentations	3	0	1	1	0.0%	1.5	-	13.0	45	31
Smoke Detectors Installed	47	0	0	0	0.0%	11.1	-	47.0	343	31
Battalion Training (Hours)	4	1	3	1	-66.7%	2.9	-	9.0	89.35	31
Company Training (Hours)	2	43	4	5.45	36.3%	6.0	1.0	43.0	184.95	31
Total Time in Service	63.05	87.2	77.5	77	-0.6%	73.1	10.6	115.3	2265.34	31



CITISTAT

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

FIRE SUPPRESSION (TRUCKS)

TRUCK RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	10/10-10/23	10/24-11/06	11/07-11/20	11/21-12/04		Average	Minimum	Maximum	Total	Periods
Truck 16										
Total Responses	116	157	123	115	-6.5%	129.0	93.0	157.0	3998	31
EMS Response	49	56	48	46	-4.2%	54.2	41.0	71.0	1679	31
Building Inspections Performed	3	5	4	4	0.0%	5.8	1.0	18.0	181	31
Home Visit Inspections Performed	22	3	9	14	55.6%	24.0	-	153.0	744	31
Hydrants Inspected	42	48	36	44	22.2%	43.9	-	100.0	1361	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	2.5	2.0	4.0	77	31
Fire Prevention Presentations	11	0	0	1		1.5	-	11.0	48	31
Smoke Detectors Installed	0	0	4	0	-100.0%	2.8	-	18.0	88	31
Battalion Training (Hours)	1	2	3	4	33.3%	3.4	-	10.3	105.45	31
Company Training (Hours)	10	2	4	2	-50.0%	5.0	2.0	10.3	155	31
Total Time in Service	67.45	72.25	59.5	63.35	6.5%	73.8	47.6	153.1	2286.4	31
Truck 18										
Total Responses	53	68	82	68	-17.1%	69.2	50.0	106.0	2145	31
EMS Response	27	29	46	34	-26.1%	35.1	21.0	46.0	1087	31
Building Inspections Performed	5	2	6	4	-33.3%	8.8	-	51.0	272	31
Home Visit Inspections Performed	105	8	77	101	31.2%	80.1	-	197.0	2483	31
Hydrants Inspected	60	30	59	48	-18.6%	50.3	-	93.0	1558	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	4	100.0%	2.6	2.0	4.0	80	31
Fire Prevention Presentations	2	0	0	1		2.8	-	14.0	86	31
Smoke Detectors Installed	11	12	4	0	-100.0%	15.6	-	50.0	484	31
Battalion Training (Hours)	11	8	12	16.4	36.7%	10.9	4.0	20.2	337.65	31
Company Training (Hours)	17.3	65.3	22.3	18.45	-17.3%	17.8	7.5	65.3	550.95	31
Total Time in Service	74.15	108.3	86.45	92	6.4%	77.9	61.4	108.3	2414.01	31
Truck 20										
Total Responses	44	35	43	34	-20.9%	39.5	25.0	52.0	1225	31
EMS Response	21	14	10	15	50.0%	15.9	7.0	22.0	492	31
Building Inspections Performed	9	9	7	4	-42.9%	7.7	-	17.0	238	31
Home Visit Inspections Performed	74	44	121	64	-47.1%	70.8	-	190.0	2194	31
Hydrants Inspected	34	38	37	35	-5.4%	33.0	-	63.0	1024	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.4	2.0	3.0	75	31
Fire Prevention Presentations	2	1	0	0	0.0%	0.5	-	3.0	15	31
Smoke Detectors Installed	0	0	0	0	0.0%	5.7	-	26.0	176	31
Battalion Training (Hours)	5	4	10	10.3	3.0%	6.8	1.0	14.0	211.5	31
Company Training (Hours)	9	14	13	11	-15.4%	12.5	4.0	31.0	388.7	31
Total Time in Service	53.3	53.15	60.3	60.15	-0.2%	54.5	35.5	81.3	1688.16	31
Truck 21										
Total Responses	40	40	31	32	3.2%	28.0	16.0	40.0	869	31
EMS Response	13	6	10	12	20.0%	8.6	4.0	14.0	266	31
Building Inspections Performed	3	4	3	4	33.3%	4.5	-	18.0	139	31
Home Visit Inspections Performed	24	21	22	14	-36.4%	31.5	-	137.0	977	31
Hydrants Inspected	22	22	22	22	0.0%	41.6	-	191.0	1291	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	3	2	-33.3%	2.4	1.0	4.0	75	31
Fire Prevention Presentations	0	0	1	0	-100.0%	1.0	-	5.0	32	31
Smoke Detectors Installed	0	8	3	1	-66.7%	4.5	-	14.0	139	31
Battalion Training (Hours)	6.3	4	8.5	5	-41.2%	7.5	1.0	18.0	233.3	31
Company Training (Hours)	13	13.3	12.3	15	22.0%	15.6	2.3	23.3	484.4	31
Total Time in Service	47.05	52	47.35	38.3	-19.1%	55.0	34.5	100.2	1704.57	31



CITISTAT

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

FIRE SUPPRESSION (TRUCKS)

TRUCK RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	10/10-10/23	10/24-11/06	11/07-11/20	11/21-12/04		Average	Minimum	Maximum	Total	Periods
Truck 23										
Total Responses	54	55	50	52	4.0%	56.5	43.0	93.0	1750	31
EMS Response	17	10	13	13	0.0%	20.6	10.0	56.0	638	31
Building Inspections Performed	11	11	12	10	-16.7%	6.9	-	14.0	214	31
Home Visit Inspections Performed	35	60	93	52	-44.1%	26.8	-	98.0	831	31
Hydrants Inspected	47	44	36	37	2.8%	27.0	-	55.0	837	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.2	-	6.0	67	31
Fire Prevention Presentations	0	1	3	0	-100.0%	0.5	-	3.0	17	31
Smoke Detectors Installed	10	3	2	0	-100.0%	4.7	-	22.0	145	31
Battalion Training (Hours)	6	4	8	8	0.0%	4.5	-	12.0	140.45	31
Company Training (Hours)	14.3	12	10	11	10.0%	10.9	3.0	28.0	337.9	31
Total Time in Service	74.3	68.3	88.15	71.15	-19.3%	64.7	40.2	102.0	2004.18	31
Truck 25										
Total Responses	71	53	59	70	18.6%	54.4	40.0	71.0	1685	31
EMS Response	12	12	9	13	44.4%	11.4	4.0	21.0	354	31
Building Inspections Performed	7	0	6	2	-66.7%	6.3	-	20.0	195	31
Home Visit Inspections Performed	36	42	46	116	152.2%	68.5	-	141.0	2123	31
Hydrants Inspected	64	62	62	68	9.7%	48.4	-	70.0	1501	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.1	1.0	3.0	66	31
Fire Prevention Presentations	2	0	0	1		2.0	-	25.0	62	31
Smoke Detectors Installed	4	0	3	0	-100.0%	2.3	-	9.0	70	31
Battalion Training (Hours)	5.3	3	4	5	25.0%	5.5	2.0	10.0	171.3	31
Company Training (Hours)	5	7	8.3	8	-3.6%	8.5	4.0	15.4	262.85	31
Total Time in Service	54	48.45	58	62.3	7.4%	53.9	36.6	72.3	1670.71	31
Truck 26										
Total Responses	66	67	61	61	0.0%	57.1	40.0	80.0	1771	31
EMS Response	24	27	30	31	3.3%	26.1	16.0	37.0	810	31
Building Inspections Performed	5	17	8	3	-62.5%	9.5	-	23.0	294	31
Home Visit Inspections Performed	43	49	50	28	-44.0%	57.0	-	140.0	1767	31
Hydrants Inspected	45	47	46	48	4.3%	42.5	-	98.0	1317	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	2	2	3	50.0%	2.3	-	4.0	72	31
Fire Prevention Presentations	4	3	0	0	0.0%	0.8	-	7.0	26	31
Smoke Detectors Installed	20	27	6	7	16.7%	15.2	-	88.0	470	31
Battalion Training (Hours)	4	2.3	6	9	50.0%	4.0	-	9.0	123.5	31
Company Training (Hours)	7.3	8	8.3	11	32.5%	8.9	3.0	14.3	275.05	31
Total Time in Service	55.15	64.3	53	62.5	17.9%	56.4	37.2	80.2	1749.81	31
Truck 27										
Total Responses	73	43	44	47	6.8%	52.0	33.0	73.0	1611	31
EMS Response	34	19	5	13	160.0%	22.2	5.0	34.0	687	31
Building Inspections Performed	3	1	7	8	14.3%	4.9	-	13.0	152	31
Home Visit Inspections Performed	21	0	22	0	-100.0%	26.2	-	115.0	812	31
Hydrants Inspected	53	50	46	55	19.6%	37.2	-	104.0	1154	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	3	4	33.3%	2.4	2.0	4.0	73	31
Fire Prevention Presentations	1	3	0	1		1.0	-	11.0	32	31
Smoke Detectors Installed	6	0	0	0	0.0%	2.8	-	17.0	88	31
Battalion Training (Hours)	4	4	8	11	37.5%	10.9	4.0	51.0	338.2	31
Company Training (Hours)	8	57	10	8	-20.0%	10.2	4.0	57.0	317.5	31
Total Time in Service	47.5	88.55	55.4	57.3	3.4%	53.6	31.0	88.6	1662.73	31



CITISTAT

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

FIRE SUPPRESSION (TRUCKS)

TRUCK RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	10/10-10/23	10/24-11/06	11/07-11/20	11/21-12/04		Average	Minimum	Maximum	Total	Periods
Truck 29										
Total Responses	86	82	83	68	-18.1%	75.2	60.0	95.0	2332	31
EMS Response	33	29	22	22	0.0%	28.1	16.0	44.0	871	31
Building Inspections Performed	20	4	4	3	-25.0%	4.0	-	20.0	123	31
Home Visit Inspections Performed	48	19	63	64	1.6%	37.1	-	173.0	1151	31
Hydrants Inspected	41	41	43	41	-4.7%	30.9	-	47.0	959	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	3	3	0.0%	2.3	1.0	4.0	71	31
Fire Prevention Presentations	0	0	1	1	0.0%	0.8	-	8.0	25	31
Smoke Detectors Installed	12	20	4	2	-50.0%	13.9	-	63.0	432	31
Battalion Training (Hours)	4	3	4	10	150.0%	6.0	-	10.0	187.45	31
Company Training (Hours)	5	8	11	2	-81.8%	5.4	2.0	14.0	168	31
Total Time in Service	56.3	59.15	63.45	58.3	-8.1%	54.0	23.2	72.0	1675.26	31
Truck 30										
Total Responses	48	59	39	49	25.6%	47.6	25.0	75.0	1476	31
EMS Response	21	25	17	21	23.5%	24.8	7.0	45.0	769	31
Building Inspections Performed	8	7	4	3	-25.0%	5.1	-	16.0	158	31
Home Visit Inspections Performed	79	39	2	26	1200.0%	52.0	-	133.0	1612	31
Hydrants Inspected	60	42	43	45	4.7%	35.7	-	63.0	1108	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.1	1.0	4.0	65	31
Fire Prevention Presentations	0	0	1	0	-100.0%	0.8	-	5.0	24	31
Smoke Detectors Installed	0	0	16	0	-100.0%	4.7	-	16.0	145	31
Battalion Training (Hours)	6	7	7	10	42.9%	7.3	4.0	13.0	227	31
Company Training (Hours)	15	25	16	18.3	14.4%	15.1	8.0	28.0	468.8	31
Total Time in Service	59.3	79.3	53	60	13.2%	57.3	39.2	84.5	1774.83	31
Aerial Tower 102										
Total Responses	109	97	105	89	-15.2%	95.9	65.0	116.0	2972	31
EMS Response	31	36	31	36	16.1%	37.0	23.0	56.0	1147	31
Building Inspections Performed	10	6	8	8	0.0%	7.3	2.0	34.0	225	31
Home Visit Inspections Performed	19	0	24	0	-100.0%	13.7	-	42.0	425	31
Hydrants Inspected	37	37	37	37	0.0%	30.5	-	44.0	946	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.5	1.0	6.0	76	31
Fire Prevention Presentations	1	0	1	0	-100.0%	1.0	-	5.0	32	31
Smoke Detectors Installed	0	0	0	0	0.0%	0.7	-	4.0	21	31
Battalion Training (Hours)	5.3	4	7	6	-14.3%	4.1	2.0	10.0	127.4	31
Company Training (Hours)	5	4	3.3	12	263.6%	5.6	1.0	12.0	173.2	31
Total Time in Service	60.3	54	61.3	73.45	19.8%	62.2	39.5	137.2	1927.93	31



CITISTAT

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

EMERGENCY MEDICAL SERVICES (EMS)

EMS RESPONSES	2 - WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	10/10-10/23	10/24-11/06	11/07-11/20	11/21-12/04		Average	Minimum	Maximum	Total	Periods
Medic 1 - Total Responses	242	243	219	219	0.0%	243.3	213.0	282.0	7542	31
Medic 2 - Total Responses	147	148	145	133	-8.3%	145.4	123.0	180.0	4506	31
Medic 3 - Total Responses	222	207	191	195	2.1%	194.8	160.0	234.0	6038	31
Medic 4 - Total Responses	236	274	248	252	1.6%	255.5	219.0	291.0	7920	31
Medic 5 - Total Responses	207	179	189	178	-5.8%	190.6	158.0	222.0	5908	31
Medic 6 - Total Responses	178	193	157	188	19.7%	179.2	151.0	267.0	5556	31
Medic 7 - Total Responses	243	249	239	245	2.5%	250.8	210.0	281.0	7775	31
Medic 8 - Total Responses	184	217	209	217	3.8%	208.2	176.0	247.0	6453	31
Medic 9 - Total Responses	158	151	165	175	6.1%	163.7	137.0	209.0	5075	31
Medic 10 - Total Responses	235	240	245	256	4.5%	246.5	207.0	288.0	7641	31
Medic 11 - Total Responses	180	169	174	183	5.2%	189.3	147.0	226.0	5869	31
Medic 12 - Total Responses	186	208	204	192	-5.9%	193.9	159.0	231.0	6012	31
Medic 13 - Total Responses	163	197	175	172	-1.7%	174.3	143.0	205.0	5402	31
Medic 14 - Total Responses	150	152	151	179	18.5%	161.6	102.0	192.0	5009	31
Medic 15 - Total Responses	251	246	242	245	1.2%	247.6	174.0	284.0	7677	31
Medic 16 - Total Responses	234	250	239	228	-4.6%	249.2	211.0	285.0	7724	31
Medic 17 - Total Responses	208	253	211	228	8.1%	211.7	197.0	253.0	6886	31
Medic 18 - Total Responses	141	158	149	143	-4.0%	147.8	115.0	173.0	4581	31
Medic 19 - Total Responses	185	184	168	171	1.8%	168.0	121.0	208.0	5208	31
Medic 20 - Total Responses	170	183	175	165	-5.7%	168.0	150.0	226.0	5494	31
Medic 21 - Total Responses	232	243	232	250	7.8%	231.7	182.0	273.0	7184	31
Medic 22 - Total Responses	227	211	219	222	1.4%	231.4	206.0	256.0	7172	31
Ambo 41 - Total Responses	13	8	2	10	400.0%	9.8	1.0	27.0	303	31
Ambo 42 - Total Responses	10	8	3	11	266.7%	9.7	-	24.0	301	31
Ambo 43 - Total Responses	8	9	5	17	240.0%	12.9	2.0	31.0	400	31
Ambo 44 - Total Responses	10	7	1	9	800.0%	10.2	-	28.0	316	31



CITISTAT

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

HAZMAT

HAZMAT RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	10/10-10/23	10/24-11/06	11/07-11/20	11/21-12/04		Average	Minimum	Maximum	Total	Periods
Total Responses	23	19	11	2	-81.8%	5.0	1.0	23.0	155	31
Spills/Ground	2	2	3	0	-100.0%	2.2	-	5.0	67	31
Spills/Water	0	0	0	0	0.0%	0.1	-	1.0	4	31
Unusual Odor	0	1	0	0	0.0%	0.5	-	3.0	14	31
Release to Atmosphere	1	0	1	2	100.0%	0.3	-	2.0	10	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	0	0	0	0	0.0%	2.1	-	28.0	64	31
Fire Prevention Presentations	0	0	0	0	0.0%	0.1	-	4.0	4	31
Other	20	16	7	0	-100.0%	1.8	-	20.0	55	31
Battalion Training(Hours)	0	0	4	2	-50.0%	2.1	-	9.3	65.3	31
Company Training(Hours)	0	0	1	0	-100.0%	2.7	-	25.0	83	31
Total Time In Service	22.55	17.2	17.05	5.3	-68.9%	14.3	0.3	71.6	444.7	31

MARINE UNIT

RESPONSES					% CHANGE	YEAR-TO-DATE				
	10/10-10/23	10/24-11/06	11/07-11/20	11/21-12/04		Average	Minimum	Maximum	Total	Periods
Total Responses	6	4	5	11	120.0%	7.3	-	17.0	227	31
EMS Responses	0	0	0	0	0.0%	0.7	-	7.0	23	31
Building Inspections Performed	6	6	6	6	0.0%	5.6	4.0	7.0	174	31
Home Visit Inspections	0	0	0	0	0.0%	0.2	-	7.0	7	31
Hydrant Inspections Performed	0	0	0	0	0.0%	0.4	-	7.0	13	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	6	6	6	5	-16.7%	5.4	-	9.0	168	31
Fire Prevention Presentations	0	0	0	0	0.0%	0.4	-	7.0	12	31
Smoke Detectors Installed	0	0	0	0	0.0%	0.2	-	7.0	7	31
Battalion Training(Hours)	0	0	0	2		3.7	-	7.0	115.3	31
Company Training(Hours)	0	0	0	4		10.4	-	14.0	321	31
Total Time in Service	13.5	13.1	12.45	22.25	78.7%	30.4	7.0	66.3	942.51	31

RESCUE 1

RESCUE RESPONSES					% CHANGE	YEAR-TO-DATE				
	10/10-10/23	10/24-11/06	11/07-11/20	11/21-12/04		Average	Minimum	Maximum	Total	Periods
Total Responses	43	48	44	53	20.5%	47.9	28.0	66.0	1485	31
EMS Responses	0	0	0	4		0.7	-	4.0	22	31
Building Inspections Performed	1	4	8	3	-62.5%	5.8	-	20.0	181	31
Home Visit Inspections	0	0	0	0	0.0%	4.8	-	74.0	148	31
Hydrant Inspections Performed	30	30	30	30	0.0%	24.7	-	42.0	766	31
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	3.0	1.0	10.0	93	31
Fire Prevention Presentations	0	0	0	1		0.6	-	3.0	18	31
Smoke Detectors Installed	0	0	0	0	0.0%	0.3	-	3.0	8	31
Battalion Training(Hours)	1	3	6	2	-66.7%	4.9	-	28.0	150.6	31
Company Training(Hours)	17	10	17	12.3	-27.6%	12.1	2.0	24.0	376.22	31
Total Time in Service	49.5	45.3	69.45	65	-6.4%	59.7	35.3	151.5	1851.29	31



CITISTAT

REPORTING PERIOD: NOVEMBER 21, 2001 THROUGH DECEMBER 04, 2001

FIRE INSPECTION PERFORMANCE

Inspector Name	Assignment	2 -WEEK REPORTING PERIODS				% CHANGE	Annual Totals		
		10/10-10/23	10/24-11/06	11/07-11/20	11/21-12/04		FY02 (1 QTR)	FY2001	FY2000
*1	Area Supervisor	1	0	0	0	0.0%			489
2	Area Supervisor	25	60	37	34	-8.1%			1,019
3	Public Assembly	69	146	179	96	-46.4%			1,545
4	District Inspector	3	24	6	3	-50.0%			601
5	District Inspector	48	31	47	40	-14.9%			1,072
6	Day Care Homes	36	66	17	42	147.1%			771
7	District Inspector	45	39	32	22	-31.3%			738
8	District Inspector	8	55	57	31	-45.6%			813
**9	District Inspector	34	21	45	0	-100.0%			1,418
10	Public Assembly	89	199	54	111	105.6%			1,653
11	Health Care	46	38	38	45	18.4%			882
12	District Inspector	0	21	66	9	-86.4%			709
13	Public Assembly	130	125	131	23	-82.4%			1,828
***14	Assisted Living	21	0	0	0	0.0%			649
15	Public Assembly	84	74	160	192	20.0%			not assigned
16	Public Assembly	71	137	104	83	-20.2%			not assigned

* detailed to Combined Charities Campaign

** off duty sick (long term?)

*** off duty sick